

OS-PRO[®]



G-COIL

HOT PLATE | 1250 / 2000 Watt



FEATURES



3 Speed
Switch Control



Stainless
Steel Body



Table Top
with Stand



Easy To
Handle



Year
Warranty

Fitted with

Element Only





OS-PRO®

OS-PRO
WATTS 2000

OS-PRO®
HOME APPLIANCES

6-COIL
HOT PLATE
ELECTRIC COOKING

Queen
of the
Kitchen



⚠️ ⚠️ ⚠️
Notice: The plate is hot after cooking
please don't touch with your hand!

LOTUS

Socket or wiring board with ground wire-
device must be used.
must use a flat bottomed pan
Otherwise, the effect of the use of equipment:
Use the panel at high temperature, no touch.


OS-PRO

3

OS-PRO®

HOT SPRING

ELECTRIC IMMERSION WATER HEATER



OS-PRO®

HOT SPRING

ELECTRIC IMMERSION WATER HEATER

- विशेषताएँ :**
- पूरी तरह सुरक्षित, शॉक प्रूफ
 - पूर्णतया हीटप्रू टर्मिनल • लचीली जालिन अगली के लिए निर्मित • आकर्षक डिजाईन
- उपयोग विधि:**
- हुक के माध्यम से पानी में लटकाएँ एवं विशेष ध्यान रखें कि पानी इतना अवश्य हो कि हीटर पर्याप्त गहरे स्तर पर पानी के स्तर तक अवश्य डूब जाए. अन्यथा हीटर क्षतिग्रस्त हो सकता है
 - हीटर का स्वीच ऑन कर दें और पानी गर्म हो जाने पर ऑफ कर दें
- सुझाव विषय:**
- हीटर स्वीच ऑफ होने के एक मिनट बाद पानी से निकालें ताकि गर्म हीटर छूने से जलने का अंधेरा ना रहे, उपयोग करते समय बच्चों से दूर रखें
 - हीटर का उपयोग किया पानी या कम पानी में ना करें
 - अवश्य ध्यान रखें कि आपकी बिजली सप्लाय में भूमिगत (अर्थिंग) को वसूला सुचारु रूप से काम कर रहा है।

Features :

- Completely safe, shock proof sealed terminals
- Long life • Beautiful looks.

Usage :

- Hang the heater by hook in the bucket / container and ensure there is enough water so that the immersion heater is dipped upto the minimum water level indicated on its metal plate, otherwise the heater can be damaged.
- Switch ON the heater and switch OFF when water is heated upto the desired temperature.


Precautions :

- After switching OFF, wait for a minute for the heater to cool down before removing it from the water to avoid risk of burns. When in use, the heater is very hot and should be kept away from children.
- The heater should not be run dry. (without water or half immersed)
- Check that your power supply is working and properly earthed.

OS-PRO®

HOT SPRING

ELECTRIC IMMERSION WATER HEATER





**16" BULLET
MOVING**

OS-PRO



OS-PRO

BULLET 1"
5 BLADES

5





OS-PRÓ

DELUXE FARRATA



Lahar

12 INCHES



AP METAL



OS-PRO

HI
OFF

ELECTRONIC COMPONENTS
TRADING CO. 373



Spark

24"



Blaster

36"

Hi-speed



GRACE DECO



UG
— 20
ERS
2011 10
201470C

SPEED DECOR

**Desire
decor**





JAGUAR DECOR



Activa



Galaxy



Elegance

OS-PRO[®]



JAGUAR DECO
Ceiling fan | 1200mm (48")



SPEED DECO
Ceiling fan | 1200mm (48")



BLADE SET

FEATURES



POWERED BY DC MOTOR | STEADFAST MOTOR | AIRCIRCULATION DESIGN | 400 RPM | DURABLE & BALANCED BLADES

PRECISION BALANCED BLADE SET

DO NOT MIX THIS SET OF BALANCED BLADES WITH ANY OTHER CEILING FAN BLADE SET

OS-PRO[®]



DESIRE DECO
Ceiling fan | 1200mm (48")



ELEGANCE
Ceiling fan | 1200mm (48")



BLADE SET

FEATURES



POWERED BY DC MOTOR | STEADFAST MOTOR | AIRCIRCULATION DESIGN | 400 RPM | DURABLE & BALANCED BLADES