

Oswal[®]

ALWAYS AHEAD IN QUALITY

BULKHEAD



WATTAGE 10 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 4 KV
COLOUR TEMPRATURE CW/WW/NW




WATTAGE 20 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 4 KV
COLOUR TEMPRATURE CW/WW/NW

Oswal[®]
ALWAYS AHEAD IN QUALITY

F U S S I O N

WATTAGE 15 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 4 KV
COLOUR TEMPRATURE CW/WW/NW



WATTAGE 8 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 4 KV
COLOUR TEMPRATURE CW/WW/NW

Oswal[®]

ALWAYS AHEAD IN QUALITY

RDL
SQUARE



WATTAGE 22 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 4 KV
COLOUR TEMPRATURE CW/WW/NW

WATTAGE 15 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 4 KV
COLOUR TEMPRATURE CW/WW/NW



WATTAGE 8 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 4 KV
COLOUR TEMPRATURE CW/WW/NW



Oswal[®]

ALWAYS AHEAD IN QUALITY

RdL
ROUND



WATTAGE 22 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 4 KV
COLOUR TEMPRATURE CW/WW/NW

WATTAGE 15 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 4 KV
COLOUR TEMPRATURE CW/WW/NW



WATTAGE 8 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 4 KV
COLOUR TEMPRATURE CW/WW/NW



Oswal[®]

ALWAYS AHEAD IN QUALITY

NANO
STREET LIGHT



WATTAGE 50 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 6 KV
COLOUR TEMPERATURE CW/WW/NW



WATTAGE 40 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 6 KV
COLOUR TEMPERATURE CW/WW/NW



WATTAGE 30 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 6 KV
COLOUR TEMPERATURE CW/WW/NW



WATTAGE 20 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 4 KV
COLOUR TEMPERATURE CW/WW/NW

Oswal[®]

ALWAYS AHEAD IN QUALITY

ROYAL
STREET LIGHT



WATTAGE 100 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 6 KV
COLOUR TEMPRATURE CW/WW/NW



WATTAGE 50 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 6 KV
COLOUR TEMPRATURE CW/WW/NW




WATTAGE 30 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 6 KV
COLOUR TEMPRATURE CW/WW/NW

Oswal[®]

ALWAYS AHEAD IN QUALITY

Lux
FLOOD LIGHT



WATTAGE 200 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 6 KV
COLOUR TEMPRATURE CW/WW/NW

WATTAGE 150 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 6 KV
COLOUR TEMPRATURE CW/WW/NW

WATTAGE 100 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 6 KV
COLOUR TEMPRATURE CW/WW/NW

WATTAGE 50 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 6 KV
COLOUR TEMPRATURE CW/WW/NW

WATTAGE 30 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 6 KV
COLOUR TEMPRATURE CW/WW/NW

WATTAGE 20 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 6 KV
COLOUR TEMPRATURE CW/WW/NW



WATTAGE 200 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 6 KV
COLOUR TEMPRATURE CW/WW/NW



WATTAGE 150 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 6 KV
COLOUR TEMPRATURE CW/WW/NW

WATTAGE 100 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 6 KV
COLOUR TEMPRATURE CW/WW/NW

WATTAGE 50 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 6 KV
COLOUR TEMPRATURE CW/WW/NW



WATTAGE 30 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 6 KV
COLOUR TEMPRATURE CW/WW/NW

WATTAGE 20 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 6 KV
COLOUR TEMPRATURE CW/WW/NW

Oswal[®]

ALWAYS AHEAD IN QUALITY

I N V E R T E R
B U L B



WATTAGE	10 watt
LUMEN	130/w
INPUT VOLTAGE	AC 90v~320v
SURGE PROTECTION	4 KV
COLOUR TEMPRATURE	CW/WW/NW

Oswal[®]

ALWAYS AHEAD IN QUALITY

BRIGHT

CONCEALED LIGHT



WATTAGE	7 watt
LUMEN	130/w
INPUT VOLTAGE	AC 90v~320v
SURGE PROTECTION	4 KV
COLOUR TEMPRATURE	CW/WW/NW

Oswal[®]

ALWAYS AHEAD IN QUALITY

CANDY DEEP GLAZE
CONCEALED LIGHT



WATTAGE 15 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 4 KV
COLOUR TEMPRATURE CW/WW/NW



WATTAGE 8 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 4 KV
COLOUR TEMPRATURE CW/WW/NW

Oswal[®]

ALWAYS AHEAD IN QUALITY

GEN X
CONCEALED LIGHT



WATTAGE 7 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 4 KV
COLOUR TEMPRATURE CW/WW/NW




Oswal[®]

ALWAYS AHEAD IN QUALITY

SPARK
CONCEALED LIGHT



WATTAGE 9 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 4 KV
COLOUR TEMPRATURE CW/WW/NW



Oswal[®]

ALWAYS AHEAD IN QUALITY

MODULAR LED FLOOD LIGHT



WATTAGE 100 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 6 KV
COLOUR TEMPRATURE CW/WW/NW



WATTAGE 30 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 6 KV
COLOUR TEMPRATURE CW/WW/NW

Oswal[®]
ALWAYS AHEAD IN QUALITY

TWINKLE
LED SPOT LIGHT



WATTAGE 2 watt
LUMEN 130/w
INPUT VOLTAGE AC 90v~320v
SURGE PROTECTION 4 KV
COLOUR TEMPRATURE CW/WW/NW

